Pintles are used on the rudder and gudgeons are on the hull.
3 pintles and 3 gudgeons are needed for full replacement.
Turn 3 pintles into gudgeons by bending to fit the hull of the vessel.
Fabricators are strongly advised to replicate the original pintles/gudgeons if available.

2"
2 x 1/4" TYPE 304 S.S.
(23 1/2" BLANK)
7/16" DIA. HOLE (6)

F

17 X 22 PRINTED ON NO. 1000H CLEARPRINT

E

E

NOTES

1. THREE REQ'D PER BOAT
2. BREAK ALL SHARP CORNERS

pair

Pintles are used on the rudder and gudgeons are on the hull.
3 pintles and 3 gudgeons are needed for full replacement.
Turn 3 pintles into gudgeons by bending to fit the hull of the vessel.
Fabricators are strongly advised to replicate the original pintles/gudgeons if available.

5/2022 Copied by Bud Taplin from 17"X22" sheet to four 8x11 pages.
Original drawing was to full scale with accurate dimensions, but reproduction causes distortions.
5/8/2022 Jay Bietz scanned to PDF into a single file for WOA web site download.

WESTSAIL CORP.

SCALE: FULL	APPROVED BY:	DRAWN BY LEN
DATE: 2/6/73		REVISED

PINTLE S.S

DRAWING NUMBER C-8009C